	Туре	т #	Hits	Search Text	DBs	Time Stamp	Comme	Error Defini tion
μ.	IS&R	Ľ 1	3404	((385/14) or (385/49)).CCLS.	US-PGPUB; USPAT	2005/1 1/12 12:39		
2	BRS	Ľ2	323	L1 and (bidirectional or bi-directional)	US-PGPUB; USPAT	2005/1 1/12 12:39		
ω	BRS	L3	159	L2 and (lens or lenses)	US-PGPUB; USPAT	2005/1 1/12 12:39		
4	BRS	L4	87	L1 and (filter near5 (groove or slit or slot))	US-PGPUB; USPAT	2005/1 1/12 12:39		
Л	BRS	L5	27	L4 and (lens or lenses)	US-PGPUB; USPAT	2005/1 1/12 12:39		
Q	BRS	L6	179	L3 or L5	US-PGPUB; USPAT	2005/1 1/12 12:39		
7	BRS	L7	136666	(silicon or siob) near3 (substrate or bench or base)	US-PGPUB; USPAT	2005/1 1/12 12:39		
8	BRS	L8	33940	L7 same (groove or grooves or trench or trenches or channel or channels)	US-PGPUB; USPAT	2005/1 1/12 12:39		
9	BRS	Г9	3435	L8 and (filter or filters)	US-PGPUB; USPAT	2005/1 1/12 12:39		
10	BRS	110	149	L9 and transceiver	US-PGPUB;	2005/1 1/12		

			2005/1 1/12 12:40	US-PGPUB; USPAT	15 and @pd>"20050523"	ω	L16	BRS	16
			2005/1 1/12 12:40	US-PGPUB; USPAT	10 or 14	236	L15	BRS	15
			2005/1 1/12 12:40	US-PGPUB; 2005/1 USPAT 1/12 12:40	L13 and ("385"/\$.ccls. or "398"/\$.ccls.)	125	L14	BRS	14
			2005/1 1/12 12:39	US-PGPUB; 2005/1 1/12 USPAT 12:39	L12 and (fiber or fibers or fibre or fibres)	307	L13	BRS	13
			2005/1 1/12 12:39	US-PGPUB; USPAT	(L10 or L11) and (lens or lenses or grin or ((gradient or graded) adj index))	434	L12	BRS	12
			2005/1 1/12 12:39	US-PGPUB; USPAT	L9 and (ld or laser or emitter or emitting) and (pd or photodiode or photodetector)	709	L11	BRS	11
Err	Error Defini tion	Comme nts	Time Stamp	DBs	Search Text	Hits	Т #	Туре	